RSB 115 Member of the 298891 American Association of Nurserymen N. Y. State Nurserymen's Association L. I. Nurserymen's Association 62.61 . Department of Bulk's Nurse 610 West Montauk Highway, Babylon Telephone Mohawk 9-4400 Wholesale Price List Fall-1956

FALL -- 1956

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Grower's of

Choice Nursery Stock

for over 30 years

Bulk's Nurseries

Babylon, L. J., N. Y.

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

SCHEDULE OF BALLING **CHARGES**

Approximate Cost Depending on Varieties

DECIDUOUS TREES

BECIBEOE	, IIII		Ad A
		Each	Each
		per 10	per 100
$1\frac{1}{4}$ - $1\frac{1}{2}''$	Caliper	\$	4.50
$1\frac{1}{2}$ -2"	"		5.75
$2-2\frac{1}{2}''$	"		8.50
$2\frac{1}{2}$ -3"	,,	1	1.00
$\tilde{3}$ -3 $\frac{1}{2}''$,,	1	15.00
$3\frac{1}{2}-4''$	"	6	20.00
$-\frac{1}{4} - 4\frac{1}{2}''$	"	2	28.00
$4\frac{1}{2}$ - $5^{\prime\prime}$,,		38.00
$\tilde{5}$ -6 $^{\prime\prime}$,,	4	18.00
6-7"	,,		30.00
7-8"	"	8	30.00
FLOWERIN	G SHRUBS		
2-3'			.65
3-4'			.75
4-5'			1.00
5-6'			1.50
6-8'		2.50 to	
8-10'		5.00 to	6.00
0-10		0.00 00	

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

Rach Cans 1-1½ 1.50 1.25		7		
Cans 1-1½' 1.50 1.25 ABILES douglasi (Douglas Fir) 3-4' 5.25 4.75 4.25 5-6' 9.00 ACER palmatum atropurpurea (Jap Red Maple) 1½-2' 7.00 6.00 2.2½' 8.00 7.00 2½-3' 11.00 10.00 3-4' 14.50 13.50 A. platanoides (Norway Maple) 1¾-2" Cal. 11.00 10.00 9.50 2½-3" 14.50 13.50 12.50 2½-3" 16.50 15.50 15.00 2½-3" 20.00 19.00 18.00 3½-4" 32.00 A. platanoides crimson king (Plant Pat. No. 735) (Crimson King Maple) 1¼-1½" 32.00 A. platanoides crimson king (Plant Pat. No. 735) (Crimson King Maple) 1½-1¾" 17.50 1½-1¾" 17.50 1½-1¾" 32.00 APPLES in varieties 5 to 6-yr. 6-8' \$3.50 to \$7.00 each Larger Sizes \$8.00 to \$20.00 each AZALEA amoena (purple-red) 12-15" 2.50 2,25 2.00 15-18" 3.00 2.75 2.50 1½-1½-2' 4.00 3.75 3.50 A. calendulacea (yellow to orange) 2-3' 3.75 3-4' 4.75 A. kaempferi (Torch Azalea) — B&B 15-18" 2.75 1½-2' 3.75 2-2½ 5.25 4.00 3.75 3.4' A. Fedora Kaempferi hybrid (salmon-rose) 15-18" 3.25 3.00 1½-15" 3.50 3.25 2.00 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 3.75 3.75 4.25 4.00 3.75 3.75 4.25 4.00 3.75 3.75 4.25 4.00 3.75 3.75 4.25 5.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 3.75 3.50 3.00 2.75 1½-2' 4.25 4.00 3.75 3.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 3.75 3.50 3.00 2.75 1½-2' 5.75 5.50 A. Hinodegiri (red) 12-15" 2.75 2.50 2.25 4. Hinodegiri (red) 12-15" 2.75 2.50 2.25 4. Hinodegiri (red)	ABELIA grandiflora	Each		Each per 100
ABILS douglasi (Douglas Fir) 3-4' 5.25 4.75 4.25 4-5' 7.00 6.50 6.25 5-6' 9.00 ACER palmatum atropurpurea (Jap Red Maple) 1½-2' 7.00 6.00 2-2½' 8.00 7.00 3-4' 14.50 13.50 A. platanoides (Norway Maple) 1¾-2" Cal. 11.00 10.00 9.50 2-2½" 14.50 13.50 12.50 2½-3" 14.50 13.50 12.50 2½-3" 14.50 13.50 12.50 2½-3" 20.00 19.00 18.00 3-3½" 26.00 3½-3" 20.00 19.00 18.00 3-½-3" 32.00 A. platanoides crimson king (Plant Pat. No. 735)		1.50	1.25	
3-4' 5.25 4.75 4.25 4.5' 7.00 6.50 6.25 5-6' 9.00 ACER palmatum atropurpurea (Jap Red Maple) 1½-2' 7.00 6.00 2.2-½' 8.00 7.00 2½-3' 11.00 10.00 3.4' 14.50 13.50 A. platanoides (Norway Maple) 1¾-2" Cal. 11.00 10.00 9.50 2.2½" 14.55 13.50 12.50 2½-3" 20.00 19.00 18.00 3.3½" 320.00 A. platanoides crimson king (Plant Pat. No. 735) (Crimson King Maple) 1¼-1½" 32.00 A. platanoides crimson king (Plant Pat. No. 735) (Crimson King Maple) 1-1¼" Cal. 6-8' 9.00 1¼-1½" 3-10' 13.50 1½-1¾" 3-17.50 1½-1¾" 3-17.50 1½-1¾" 3-17.50 1½-1¾" 3-17.50 1½-1¾" 3-17.50 1½-1½" 3-10' 13.50 1½-1½" 3-10' 13.50 1½-1½" 3-10' 13.50 1½-1½" 3-10' 13.50 1½-1½" 3-10' 13.50 1½-1½" 3-10' 3.50 1½-1½" 3-10' 3.50 1½-1½" 3-10' 3.50 1½-2' 4.00 3.75 3.50 2.2½' 5.25 4.75 4.50 A. calendulacea (yellow to orange) 2.3' 3.75 3.4' 4.75 A. kaempferi (Torch Azalea) — B&B 15-18" 2.75 1½-2' 3.75 1½-2' 3.75 2.2½' 5.00 A. Fedora Kaempferi hybrid (salmon-rose) 15-18" 3.25 3.00 1½-2' 4.25 4.00 3.75 2.2½' 5.75 5.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 15-18" 3.50 3.00 2.75 2.2½' 5.75 5.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 15-18" 3.50 3.00 2.75 2.2½' 5.75 5.50 A. Hinodegiri (red) 12-15" 2.75 2.50 2.25 A. Hinodegiri (red) 12-15" 2.75 2.50 2.25 A. Hinodegiri (red)				
4-5' 7.00 6.50 6.25 5-6' 9.00 ACER palmatum atropurpurea (Jap Red Maple) 1\frac{1}{2}-2' 7.00 6.00 2\frac{1}{2}-2\frac{1}{2}' 8.00 7.00 2\frac{1}{2}-3' 11.00 10.00 3-4' 14.50 13.50 A. platanoides (Norway Maple) 1\frac{3}{4}-2'' Cal. 11.00 10.00 9.50 2\frac{1}{2}-2\frac{1}{2}'' 14.50 13.50 12.50 2\frac{1}{2}-2\frac{1}{2}'' 14.50 13.50 12.50 2\frac{1}{2}-2\frac{1}{2}'' 21.650 15.50 15.00 2\frac{1}{2}-3'' 32.00 A. platanoides crimson king (Plant Pat. No. 735) (Crimson King Maple) 1-1\frac{1}{4}'' Cal. 6-8' 9.00 1\frac{1}{4}-1\frac{1}{2}'' 38-10' 13.50 1\frac{1}{2}-1\frac{3}{4}'' 320.00 APPLES in varieties 5 to 6-yr. 6-8' \$3.50 to \$7.00 each Larger Sizes \$8.00 to \$20.00 each AZALEA amoena (purple-red) 12-15'' 2.50 2,25 2.00 15-18'' 3.00 2.75 2.50 1\frac{1}{2}-2' 4.00 3.75 3.50 2-2\frac{1}{2}-2' 5.25 4.75 4.50 A. calendulacea (yellow to orange) 2-3' 3.75 3-4' 4.75 A. kaempferi (Torch Azalea) — B&B 15-18'' 2.75 1\frac{1}{2}-2' 3.75 1\frac{1}{2}-2' 3.75 1\frac{1}{2}-2' 3.75 1\frac{1}{2}-2' 5.00 A. Fedora Kaempferi hybrid (salmon-rose) 15-18'' 3.25 3.00 1\frac{1}{2}-2' 4.25 4.00 3.75 2-2\frac{1}{2}-2' 5.75 5.50 A. Firefly (scarlet) 12-15'' 2.50 2.25 2.00 15-18'' 3.50 3.00 2.75 1\frac{1}{2}-2' 4.25 4.00 3.75 2-2\frac{1}{2}-2' 5.75 5.50 A. Firefly (scarlet) 12-15'' 2.50 2.25 2.00 15-18'' 3.50 3.00 2.75 1\frac{1}{2}-2' 4.25 4.00 3.75 2-2\frac{1}{2}-2' 5.75 5.50 A. Hinodegiri (red) 12-15'' 2.75 2.50 2.25 15-18'' 3.50 3.25 2.90			4 75	4 25
5-6' 9.00 ACER palmatum atropurpurea (Jap Red Maple) 1½-2' 7.00 6.00 2-2½' 8.00 7.00 2⅓-3' 11.00 10.00 3-4' 14.50 13.50 A. platanoides (Norway Maple) 1¾-2" Cal. 11.00 10.00 9.50 2-2¼" 14.50 13.50 12.50 2½-3" 20.00 19.00 18.00 3-3¼" 32.00 A. platanoides crimson king (Plant Pat. No. 735)				
ACER palmatum atropurpurea (Jap Red Maple) 1\frac{1}{2}\cdot 2' \qquad 7.00 & 6.00 \\ 2\cdot 2\cdot 2' \qquad 8.00 & 7.00 \\ 2\cdot 2\cdot 3' & 11.00 & 10.00 \\ 3\cdot 4' & 14.50 & 13.50 \end{array} A. platanoides (Norway Maple) 1\frac{3}{4}\cdot 2' & 14.50 & 13.50 & 12.50 \\ 2\cdot 2\cdot 4'' & 14.50 & 13.50 & 12.50 \\ 2\cdot 2\cdot 4'' & 14.50 & 13.50 & 12.50 \\ 2\cdot 2\cdot 4'' & 14.50 & 13.50 & 12.50 \\ 2\cdot 2\cdot 4'' & 14.50 & 13.50 & 12.50 \\ 2\cdot 2\cdot 3'' & 20.00 & 19.00 & 18.00 \\ 3\cdot 3\cdot 4'' & 32.00 \\ A. platanoides crimson king (Plant Pat. No. 735) \\ (Crimson King Maple) 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 13.50 \\ 1\cdot 1\cdot 1\cdot 4'' & 3-10' & 3.50 \\ 2\cdot 2\cdot 2'' & 4.00 & 3.75 & 3.50 \\ 2\cdot 2\cdot 2'' & 4.00 & 3.75 \\ 2\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 4.25 & 4.00 & 3.75 \\ 1\cdot 2\cdot 2'' & 5.75 & 5.50 \\ A. Firefly (scarlet) 12-15'' & 2.50 & 2.25 & 2.50 \\ 15-18'' & 3.50 & 3.25 & 2.50 \\ 15-18'' & 3.50 & 3.25 & 2.50 \\ 15-18'' & 3.50 & 3.25 & 2.50 \\ 15-18'' & 3.50 & 3.25 & 2.50 \\ 15-18'' & 3.50 & 3.25			0.00	0.20
2-2½' 3' 11.00 10.00 3-4' 14.50 13.50 A. platanoides (Norway Maple) 1⅓-2" Cal. 11.00 10.00 9.50 2-2¼" 14.50 13.50 12.50 2½-3" 16.50 15.50 15.00 2½-3" 20.00 19.00 18.00 3½-4" 32.00 A. platanoides crimson king (Plant Pat. No. 735) (Crimson King Maple) 1-1¼" Cal. 6-8' 9.00 1¼-1½" 8-10' 13.50 1½-1¾" 17.50 1⅓-2" 20.00 APPLES in varieties 5 to 6-yr. 6-8' 1¾-2" 20.00 AZALEA amoena (purple-red) 12-15" 2.50 2-2½' 4.00 3.75 3.50 4. calendulacea (yellow to orange) 2-3' 3.4' 3.75 3.4' 4.75 A. kaempferi (Torch Azalea) — B&B 15-18" 2.75 1½-2' 3.75 2-2½' 5.00 A. Fedora Kaempferi hybrid (salmon-rose) 15-18" 3.25 3.00 1½-12" 5.75 5.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 15-18" 3.25 3.00 3.75 3.75 3.4' 4.75 A. kaempferi (Torch Azalea) — B&B 15-18" 2.75 1½-2' 3.75 2-2½' 5.00 A. Fedora Kaempferi hybrid (salmon-rose) 15-18" 3.25 3.00 1½-2' 4.25 4.00 3.75 3.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.50 2.25 2.00 15-18" 3.50 3.00 2.75 3.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.50 2.25 2.00 15-18" 3.50 3.50 3.75 5.75 5.50 A. Hinodegiri (red) 12-15" 2.75 2.55 2.50 2.25	ACER palmatum atropu		(Jap Red I	(Iaple)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$1\frac{1}{2}$ -2'	7.00	6.00	
3-4'		8.00	7.00	
A. platanoides (Norway Maple) 1\frac{3}{4}-2" Cal.				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	<u> </u>			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				0.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
3-3½" 32.00 A. platanoides crimson king (Plant Pat. No. 735)	24-22			
3½-4" 32.00 A. platanoides crimson king (Plant Pat. No. 735)			19.00	10.00
A. platanoides crimson king (Plant Pat. No. 735)	0 02			
(Crimson King Maple) $\begin{array}{cccccccccccccccccccccccccccccccccccc$			ant Pat. N	0. 735)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-, ,,,
1¾-2"		_		
1¾-2"	$1\frac{1}{4} - 1\frac{1}{2}$ " 8-10"	13.50		
APPLES in varieties 5 to 6-yr. 6-8' \$3.50 to \$7.00 each Larger Sizes \$8.00 to \$20.00 each AZALEA amoena (purple-red) 12-15" 2.50 2,25 2.00 15-18" 3.00 2.75 3.50 2-2½' 4.00 3.75 3.50 2-2½' 5.25 4.75 4.50 A. calendulacea (yellow to orange) 2-3' 3.75 3-4' 4.75 A. kaempferi (Torch Azalea) — B&B 15-18" 2.75 1½-2' 3.75 2-2½' 5.00 A. Fedora Kaempferi hybrid (salmon-rose) 15-18" 3.25 3.00 1½-2' 4.25 4.00 3.75 2-2½' 5.75 5.50 A. Firefly (scarlet) 12-15" 2.50 2.25 2.00 15-18" 3.50 3.00 2.75 1½-2' 4.25 4.00 3.75 2-2½ 5.75 5.50 A. Hinodegiri (red) 12-15" 2.75 2.50 2.25 A. Hinodegiri (red) 12-15" 2.75 2.50 2.25 15-18" 3.50 3.25 2.90	12 14	17.50		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$1\frac{3}{4}$ -2" "	20.00		
Larger Sizes \$8.00 to \$20.00 each AZALEA amoena (purple-red) 12-15"	APPLES in varieties			
AZALEA amoena (purple-red) $12-15'' \qquad 2.50 \qquad 2,25 \qquad 2.00$ $15-18'' \qquad 3.00 \qquad 2.75 \qquad 2.50$ $1\frac{1}{2}\cdot 2' \qquad 4.00 \qquad 3.75 \qquad 3.50$ $2\cdot 2\frac{1}{2}' \qquad 5.25 \qquad 4.75 \qquad 4.50$ A. calendulacea (yellow to orange) $2\cdot 3' \qquad 3.75$ $3\cdot 4' \qquad 4.75$ A. kaempferi (Torch Azalea) — B&B $15\cdot 18'' \qquad 2.75$ $1\frac{1}{2}\cdot 2' \qquad 3.75$ $2\cdot 2\frac{1}{2}' \qquad 5.00$ A. Fedora Kaempferi hybrid (salmon-rose) $15\cdot 18'' \qquad 3.25 \qquad 3.00$ $1\frac{1}{2}\cdot 2' \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}' \qquad 5.75 \qquad 5.50$ A. Firefly (scarlet) $12\cdot 15'' \qquad 2.50 \qquad 2.25 \qquad 2.00$ $15\cdot 18'' \qquad 3.50 \qquad 3.00 \qquad 2.75$ $1\frac{1}{2}\cdot 2' \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}' \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}\cdot \qquad 4.25 \qquad 4.00 \qquad 3.75$ $1\frac{1}{2}\cdot 2' \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}\cdot \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}\cdot \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}\cdot \qquad 4.25 \qquad 4.00 \qquad 3.75$ $1\frac{1}{2}\cdot 2' \qquad 4.25 \qquad 4.00 \qquad 3.75$ $2\cdot 2\frac{1}{2}\cdot \qquad 5.75 \qquad 5.50$ A. Hinodegiri (red) $12\cdot 15'' \qquad 2.75 \qquad 2.50 \qquad 2.25$ $15\cdot 18'' \qquad 3.50 \qquad 3.25 \qquad 2.90$		\$3.50	to \$ 7.00	each
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Larger Sizes	\$8.00	to \$20.00	each
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AZALEA amoena (purp	ole-red)		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.50	2,25	2.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3.00		
A. calendulacea (yellow to orange) $\begin{array}{cccccccccccccccccccccccccccccccccccc$	15		3.75	3.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5.25	4.75	4.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			e)	
A. kaempferi (Torch Azalea) — B&B $15-18''$ 2.75 $1\frac{1}{2}-2'$ 3.75 $2-2\frac{1}{2}'$ 5.00 A. Fedora Kaempferi hybrid (salmon-rose) $15-18''$ 3.25 3.00 $1\frac{1}{2}-2'$ 4.25 4.00 3.75 $2-2\frac{1}{2}'$ 5.75 5.50 A. Firefly (scarlet) $12-15''$ 2.50 2.25 2.00 $15-18''$ 3.50 3.00 2.75 $1\frac{1}{2}-2'$ 4.25 4.00 3.75 $2-2\frac{1}{2}'$ 5.75 5.50 A. Hinodegiri (red) $12-15''$ 2.75 2.50 2.25 $15-18''$ 3.50 3.25 2.90	F.			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			R&R	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			БСБ	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
A. Fedora Kaempferi hybrid (salmon-rose) $15-18''$ 3.25 3.00 $1\frac{1}{2}-2'$ 4.25 4.00 3.75 $2-2\frac{1}{2}'$ 5.75 5.50 A. Firefly (scarlet) $12-15''$ 2.50 2.25 2.00 $15-18''$ 3.50 3.00 2.75 $1\frac{1}{2}-2'$ 4.25 4.00 3.75 $2-2\frac{1}{2}'$ 5.75 5.50 A. Hinodegiri (red) $12-15''$ 2.75 2.50 2.25 $15-18''$ 3.50 3.25 2.90	_			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	A. Fedora Kaempferi h	ybrid (sa	lmon-rose)	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3.25	3.00	
A. Firefly (scarlet) $\begin{array}{cccccccccccccccccccccccccccccccccccc$	_			3.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5.75	5.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	0.50	0.05	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
A. Hinodegiri (red) 12-15" 2.75 2.50 2.25 15-18" 3.50 3.25 2.90				3.75
12-15" 2.75 2.50 2.25 15-18" 3.50 3.25 2.90		9.19	5.50	
15-18" 3.50 3.25 2.90		2.75	2.50	2 25
2.00				
				2.00

	Each	Each per 10	Each per 100
AZALEA hinomayo (Shel			P
12-15"	2.60	2.35	2.15
15-18"	3.25	3.00	2.75
18-24"	4.50	4.25	4.00
2-2½′	5.75	1	1.00
A. kurume (Orange Beau			
		4.05	
18-24"	4.50	4.25	
A. ledifolia alba (White)			
12-15"	2.75	2.50	
15-18"	3.50	3.25	3.00
18-24"	4.25	4.00	3.75
$2-2\frac{1}{2}'$	5.75	5.50	
A. lilacina (Lilac)			
15-18"	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
$2-2\frac{1}{2}$	5.50	5.00	0
A. pontica in varieties (y			ange)
18-24"	4.25	3.75	
	5.25	$\frac{3.75}{4.75}$	4.25
$\frac{2-2\frac{1}{2}'}{21-2'}$			4.20
$2\frac{1}{2}-3'$	6.50	6.00	
A. poukhanensis (Korea			
15-18"	3.25	3.00	
$1\frac{1}{2}$ -2'	4.00	3.75	
$2 - 2\frac{1}{2}'$	5.00	4.75	
$2\frac{1}{2}$ -3'	7.00		
A. rhombica (Pale Lave	nder)		
18-24"	4.25	4.00	
$2-2\frac{1}{2}'$	5.50	5.00	
A. schlippenbachi (Soft I			
15-18"	3.25	3.00	
$1\frac{1}{2}$ -2'	4.00	3.75	
$\frac{1_{2}}{2}$ $\frac{2}{2}$	5.25	5.00	
_			\ TO 0 TO
BERBERIS Julianae (Win			
12-15"	1.75	1.50	1.35
15-18"	2.25	2.00	1.75
$1\frac{1}{2}$ -2'	3.25	3.00	2.75
$2-2\frac{1}{2}$	4.50	4.00	3.75
Container Grown	2.25	2.00	1.75
B. thunbergi (Jap. Barb	-		
15-18"	.40	.35	.27
$1\frac{1}{2}$ - $2'$.50	.40	.35
2 - $2\frac{1}{2}$ '	.60	.50	.40
$2\frac{1}{2}$ -3'	.70	.60	.50
$\bar{3}$ -3 $\frac{1}{2}$ '	.80		
B. thunbergi atropur-pur-	ea (Jap.	Red Barl	berry)
15-18"	.50	.45	.38
$1\frac{1}{2}-2'$.60	.55	.50
$\overline{2}$ - $2\frac{1}{2}$ '	.70	.60	.55
$2\frac{1}{2}$ -3'	.80	.70	.65
BETULA alba (European	White 1	Rirch)	
Clumps	WILLIE I	Jii Cii)	
4-5'	1.50	1.25	
10	1.00	1.20	

1	BOHRBIN	OTCOLL	UIIIO	
		Each	Each per 10	Each per 100
BETULA	alba (European	White	Birch) (co	ntinued)
5-6'		2.25		
6-8'		3.75	3.50	
BIOTA -	- See Thuja			
BUDDLEA	A (Butterfly Bu	sh) –	- Charmir	g Pink,
	nnet, Wine - Red			
		.75	.60	
CARMAN	EA molliggima	(China		+1
	EA mollissima		se Chesmu	()
6-8'	Heavy	4.50		
8-10'		6.00		
	CYPARIS			
	cripsi (Golden		Cypress)	
$2\frac{1}{2}$ - $3'$		5.25		
C. obtusa	gracilis (Slend	ler Hin	oki Cypres	ss)
$2\frac{1}{2}$ -3'		4.50		
$\overline{3}$ - $3\frac{1}{2}$		6.25	6.00	
$3\frac{1}{2}$ -4'	5, -	7.50		
4-5'		10.00		
5-6'		14.50		
CHAMAE	CYPARIS obtus	a gracil	lis compact	a
	mpact Hinoki	_	_	
$2\frac{1}{2}-3'$	inputer announce	9.00		
_	gracilis nana (D		inoki Cyny	ngg)
$5-5\frac{1}{5}$	gracins nana (D		illoki Cypi	535)
6-7'		35.00		
		45.00		
	sa (Plume Cypr		1 ==	1 50
$1\frac{1}{2}$ -2'		2.00	1.75	1.50
$2-2\frac{1}{2}'$		2.50	2.25	2.00
$2\frac{1}{2} - 3'$		3.00	2.75	2.50
3-4'		3.60	3.25	3.00
4-5'		5.00	4.50	4.00
	a aurea (Golder			
$2-2\frac{1}{2}'$		2.75	2.50	2.25
$2\frac{1}{2}$ -3'		3.25	3.00	
3-4'	30	4.00	3.75	
4-5'		6.00	5.50	
5-6'		8.00	7.25	
6-7'		10.00	9.00	
	sa aurea (Gold 1			
15-18"		1.75	1.50	1.25
$1\frac{1}{2}$ -2'		2.25	2.00	1.65
CHAMAE(CYPARIS plumo	sa aure	ea	
$2-2\frac{1}{2}'$	Š	2.50	2.25	2.00
$2\frac{1}{2}$ -3'		3.00	2.75	2.50
$3-3\frac{1}{2}'$		3.75	3.50	3.25
$3\frac{1}{2}$ -4'	,	4.75	4.25	
5-6'		9.00		
C. filifera	(Thread Cypre	ess)		
$2-2\frac{1}{2}'$		3.00	2.85	
$2\frac{1}{2}$ -3'		3.50	3.25	
$3-3\frac{1}{2}'$	40.3	4.00	3.75	


CANA DE CAMPA DIC	Each	Each per 10	Each per 100
CHAMAECYPARIS			
$3\frac{1}{2}-4'$	5.00	4.50	
5-6'	8.00		
C. squarrosa (Moss	Cypress)		
$1\frac{1}{2}$ -2'	2.25	2.00	1.65
$2 - 2\frac{1}{2}$	2.50	2.25	2.00
$2\frac{1}{2} \cdot 3'$	$\frac{2.00}{3.25}$	3.00	2.75
$3 - 3\frac{1}{2}$	4.00	3.75	2.10
$3\frac{1}{2}-4'$	5.00	4.75	
$4-4\frac{1}{2}'$	6.00	5.00	
CORNUS florida (V B&B	Vhite Flowerin	g Dogwo	od)
4-5'	5.75	5.25	
5-6'	7.00	6.50	
6-7'	9.25	8.75	
7-8'	$\frac{9.25}{11.50}$	10.50	
7-8' 8-9'	$11.50 \\ 14.00$	10.50	
6-9 ORNUS flor. rubra			
4-5'	8.00	7.50	
5-6'	12.00	11.00	
6-7'	17.00	16.00	
		10.00	
7-8' C. kousa (Chinese)	22.00 Dogwood) B&	В	
4-5'	6.50	6.00	
5-6'	8.00	0.00	
6-7'	11.00	10.00	
7-8'	15.00	14.00	
C. sanguinea (Bloo			
3-4'	.90	.75	
4-5'	1.15	1.00	
C. stolonifera lute	a (Yellow-Tw	ig Dogw	ood)
3-4'	.90	.75	
4-5'	1.25	1.10	
COTONEASTER ad			aster)
Container Grov		2.75	asici)
C. divaricata — B&		2.10	
$1\frac{1}{2}$ -2'	1.75	1.50	1.25
2-3'	2.50	2.25	
3-4'	3.00		2.50
4-5'	3.75	3.50	
C. horizontalis (Ro			0.20
Container Grov	vn	2.50	
C. foveolata — Ba	&В		
5-6'	4.50	4.00	
CRYPTOMERIA ja			
3-4'	4.50		
4-5'	5.50		
5-6'	6.50		
DEUTZIA crenata		erenata ro	sea
3-4'	.75	.65	Dea
4-5'	1.00	.85	
7-0	1.00	.00	

DEUTZIA crenata (con	Each	Each per 10	Each per 100
5-6'	1.25	1.00	
6-8'	1.75	1.00	
D. gracilis (Slender Det		0.00	
15-18"	.75	.65	
$1\frac{1}{2}$ -2'	.90	.80	
ENKIANTHUS (Red V		ethus) —	B&B
$2-2\frac{1}{2}$	3.00		
$2\frac{1}{2}-3'$	4.00	3.50	
3-4'	5.00	4.50	
EUONYMOUS vegetus	(B&B)		
15-18" Heavy	1.75	1.50	1.25
$1\frac{1}{2}-2'$ "	2.00	1.75	1.50
$2-2\frac{1}{2}'$ "	2.50	2.25	2.00
FAGUS sylvatica atropu B&B	ırpurea (C	opper Bee	ech)
5-6'	25.00		
6-8'	35.00		
FORSYTHIA fortunei			
FORSYTHIA intermedia			
3-4'	.90	.75	
4-5'	1.10	.95	
5-6'	1.35	1.10	
F. spectablis 3-4'	00	7.5	70
4-5'	.90 1.10	.75 .95	.70
5-6'	1.35	1.10	.85 1.00
6-7'	1.75	1.50	1.00
7-8'	2.25	2.00	
F. Spring Glory			
3-4'	.90	.75	
4-5'	1.10	1.00	.90
5-6'	1.50	1.25	1.00
GLEDITSIA triacanthos (Thornless Honey			
6-8' Heavy	3.00	2.75	2.50
8-10' $1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.	4.50	4.25	$\frac{2.50}{4.00}$
HALESIA tetraptera (S.	ilver Bell)		2.00
3-4'	1.25	1.00	
4-5'	1.50	1.25	
8-10'	6.00		
10-12'	8.00		
HEDERA helix (English	h Ivy)		
2 Year	.35	.30	.25
4" Pots	.60	.50	.40
HYDRANGEA arb. gran	diflora (H	ills of Sn	ow)
3-4'	1.00	.85	0
4-Year Plants	2.00	1.75	
H. hortensis (Blue Hydr	angea)		

Bollist	OTENE		(
	Each	Each per 10	Each per 100
HYDRANGEA pee gee	Bach	per 10	per 100
2-3'	.80	.70	.65
3-4'	1.00	.90	.80
4-5'	1.25	1.00	
HYPERICUM aureum			
$1\frac{1}{2}$ -2'	.70	.60	.50
2-3'	.80	.70	.60
			.00
ILEX bullata (Japanese			0.00
15-18"	3.75	3.50	3.00
18-24"	5.00	4.50	4.00
$2-2\frac{1}{2}'$ I. crenata (Jap. Holly)	6.50	6.00	5.50
I. crenata (Jap. Holly) $1\frac{1}{2}$ -2'	3.75	3.50	3.25
$\frac{1\overline{2}$ -2 $2\cdot2\frac{1}{2}'$	5.00	$\frac{3.50}{4.50}$	4.25
$2\frac{1}{2}$	6.00	5.50	5.25
$3.3\frac{1}{2}^{\prime}$	7.75	7.00	6.50
$3\frac{1}{2}$ -4'	8.75	8.00	7.50
4-5'	11.00	10.00	-3.
	Type)	20100	
18-24"	4.25	4.00	3.75
$2-2\frac{1}{2}'$	5.50	5.25	5.00
$2\frac{1}{2} - 3'$	7.00	6.50	
I. crenata compacta			
15-18" Spread	4.00	3.75	
$1\frac{1}{2}$ -2' "	5.00	4.50	
$2-2\frac{1}{2}'$ "	6.25	5.75	
I. glabra (Inkberry)			2.00
15-18"	2.50	2.25	2.00
$1\frac{1}{2}-2'$	3.00	2.75	2.50
$2-2\frac{1}{2}$	3.50	3.25	3.00
$2\frac{1}{2}$ -3'	4.50		
ILEX			
I. opaca (American Ho			
2-3'	5.00	4.50	
3-4'	7.00	6.50	
3-4' Heavy	10.00	10.50	
4-0	13.50	12.50	
9-0	17.50	addition	ol.
Selected berried p		o addition	iai.
I. verticillata (Winterbo	1.25	1.00	.85
2-3' 3-4'	$\frac{1.25}{1.35}$	1.15	1.00
3-4' 4-5'	$\frac{1.35}{1.75}$	1.15 1.50	1.25
- 0			1.20
JUNIPERUS chinensis	phtzeria	na	
(Pfitzer Juniper)	9.75	2.05	
$1\frac{1}{2} - 2'$	3.75	3.25	
$2-2\frac{1}{2}$	4.75	4.25	
$\frac{2\frac{1}{2}-3'}{2}$	$\frac{6.00}{7.50}$	5.50	
$3-3\frac{1}{2}'$ J. chinensis columnaris			
(Columnar Chine		er)	
3-4'	5.50	5.00	
0-1	0.00	0.00	


	1,	Each	Each
	Each	per 10	per 100
JUNIPERUS chinensis		(continue	a)
$4-4\frac{1}{2}'$	6.50		
5-6'	8.50		
6-7'	11.00		
7-8'	14.50		
8-10′	19.00		
10-12′	27.50		
16-18'	50.00		
J. communis hibernica			
J. communis suecica (S		_	
3-4'	3.00	2.75	
4-5'	3.75	3.50	
J. stricta	2.00	1.75	1.50
$15-18''$ $1\frac{1}{2}-2'$	$\frac{2.00}{2.75}$	$1.75 \\ 2.50$	$\frac{1.50}{2.25}$
	2.15	2.00	4.40
J. depressa plumosa 15-18"	2.50		
$1\frac{1}{2}$ -2'	3.00	2.75	
$2-2\frac{1}{2}$	4.00	2.10	
J. glauca hetzi (Hetz's S)		niper)	
15-18"	2.75	2.50	2.25
$1\frac{1}{2}$ -2'	3.50	3.25	3.00
$2-2\frac{1}{2}'$	4.50	4.00	
$2\frac{1}{2}$ -3'	5.25		
$3-3\frac{1}{2}$	6.50		
$3\frac{1}{2}$ -4'	8.00		
JUNIPERS			
JUNIPERS keteleeri (1		dar)	
3-4'	5.50	5.00	
4-5'	6.50	6.00	
5-6' 6-7'	8.50		
7-8'	$12.00 \\ 15.00$		
		nen	
LABURNUM vossi (Gol. 8-10' $1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.		— вав	
	12.00		
LESPEDEZA formosa (Purple Bush Cl	077077)		
(Good Deep		rain)	
Heavy	1.25	1.00	.85
LEUCOTHOE catesbaei			
15-18"		2.75	2.50
$1\frac{1}{2}$ - $2'$		3.25	
LIGUSTRUM ibota rege			t)
$1\frac{1}{2}$ -2' Spread	.50	.40	$.32\frac{1}{2}$
2-3' ',',' ',',	.70	.60	.50
	1.00	.85	
L. ovalifolium (Californ		00	
2-3' $3-4'$.25	.22	.18
4-5'		.30	.23
7-0	.60	.45	.35

DULKSIV	ORSERT	E D	9
		Each	Each
	Each	per 10	per 100
LIQUIDAMBER styracif		· ·	B&B
$1\frac{3}{4}$ -2" Cal.	15.50	14.50	
$2-2\frac{1}{4}''$ "	19.50	18.50	
$2\frac{1}{4} - 2\frac{1}{2}$ " "	23.00	22.00	
$2\frac{1}{2}$ $2\frac{3}{4}$ """ ""	28.00		
		•	
LONICERA grandiflora	(Bush H	oneysucki	le)
3-4'	.85	7.5	
4-5'	1.00	.85	.75
5-6'	1.25	1.00	.90
6-7'	1.75	1.50	.00
0-1	1.70	1.50	
MAGNOLIA soulangean	a — B&	В	
4-5'	7.50	7.00	
5-6'	10.50	9.50	
6-7'	14.00	13.00	
M. soulangeana nigra a		ei — Bai	В
4-5'	9.00		
5-6'	12.00		
MAGNOLIA halleana (Si	tellata) (white)	B&B
			,,
M. halleana (Stellata) (-рinк) —	- ′′
2-3' Heavy	8.00		
3-4' "	11.00		
4-5' ''	14.00		
MALUS (Flowering Crab) arnoldi	iana alavi	hona
			, nopa
6-8' Heavy	6.50	5.50	
6-8' B&B Heavy		9.00	
8-10' Heavy	8.00	7.00	
8-10' B&B Heavy	12.50	11.50	
	13.00		
10-12' B&B Heavy			
MYRICA pennsylvanica	(Baybe)	rry)	
В&В			
$1\frac{1}{2}$ -2'	2.50		
2 - $2\frac{1}{2}$ '	3.25	3.00	
$2\frac{1}{2}$ - $3'$	4.25	4.00	
OXYDENDRUM arboreu	m (conti	nued)	
B&B			
3-4'	4.00	3.75	
OXYDENDRUM armore			
4-5'		5.00	
5-6′	8.00	7.50	
PHILADELPHUS Mt. 1	Blane (M	lock Oran	ge)
3-4'	.85		.65
4-5'	1.00		.75
			.10
5-6'	1.35		
6-7'	1.75		
P. Avalanche (double	improve	d type)	
3-4'	1.00	.85	.70
4-5'	1.25		.75
5-6'			
	2.00	1.25	1.00
6-7'	2.00		1.50
7-8′	2.50	2.00	



OFFICES ON

	Each	Each per 10	Each per 100
PHOTINIA villosa	(Chinese Chris	stmas Be	
3-4'	1.25		
PHOTINIA villosa	(continued)		
4-5'	1.50	1.25	1.00
5-6'	2.00	1.75	1.50
6-7'	2.50	2.25	2.00
8-10'	3.75	3.50	
PHYSOCARPUS op	ulifolius (Nine	Bark)	
4-5'	1.00	.85	.75
5-6'	1.25	1.00	.90
P. opulifolius nana	(Dwarf Nine	Bark)	
5-6'	1.75		
6-8'	3.50		



ROUTE 27-A

	Each	Each per 10	Each per 100
PICEA excelsa (Norway S		per 10	per 100
$2-2\frac{1}{2}'$	2.75	2.50	
$2\frac{1}{2}$ -3'	3.50	3.25	
$\tilde{3}$ - $3\frac{1}{2}$ '	4.25	4.00	
PIERIS japonica (Andr	omeda)		
15-18"	3.50	3.25	
1½-2′	4.50	4.25	
$\tilde{2}$ -2 $\frac{1}{2}$ '	6.25	5.75	
PINUS densiflora (Japane	ese Red	Pine)	
$2-2\frac{1}{2}'$	3.00	2.75	
$2\frac{1}{2}$ -3'	4.00		
P. strobus (White Pine)			
3-4'	6.00	5.00	
4-5'	7.50	6.00	

12 BULK'S	NURSERI	ES	
	Each	Each per 10	Each per 100
PINUS thunbergi (Jaj		-	
2 - $2\frac{1}{2}$ '	4.00	3.75	3.50
$2\frac{1}{2}-3'$	5.00	4.75	4.50
$3-3\frac{1}{2}$	6.50	6.25	6.00
$3\frac{1}{2}$ -4'	7.75	0.20	0.00
4-5' Heavy	13.00		
5-6'	17.50		
PLATANUS acerifolia		e)	
(London Plane)	-	<i>C)</i>	
$1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal.	7.50	7.00	6.50
$1\frac{3}{4}-2''$ "	9.75	9.25	8.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13.00	12.50	12.00
$2\frac{1}{4}$ - $2\frac{1}{2}$ " "	16.00	15.50	15.00
$2\frac{1}{2}$ - $2\frac{3}{4}$ " "	19.50	18.50	18.00
$2\frac{3}{4}$ -3" "	22.75	22.00	21.50
$3\bar{-}3\frac{1}{2}''$ "	26.00		
POPULUS nigra italica	ı		
5-6'	1.25		
6-8'	1.75	1.50	1.25
8-10′	2.25	2.00	1.75
10-12′	3.00	2.75	2.50
PRUNUS Kwansan (Ja 6-8'	ap. Flowerin 6.00	ng Cherry)
P. maritima (Beach P	lum)		
3-4'	1.50		
4-5'	2.50	2.25	
PYRACANTHA coccin Container Grown		(Firethor	n)
$1\frac{1}{2}$ -2'	2.50	2.25	
2-3'	3.00	2.75	
QUERCUS palustris (1	Pin Oak)		
$1\frac{3}{4}$ -2" Cal.	12.00		
$2-2\frac{1}{4}''$ "	15.00		
$2\frac{1}{4}$ - $2\frac{1}{2}''$ "	17.00		
$2\frac{1}{2}$ - $2\frac{3}{4}$ " "	20.00		
$2\frac{3}{4}$ -3" "	25.00		
RHODODENDRON m			
(Great Bay Rho	· ·		
$2-2\frac{1}{2}$ Heavy	4.25		
42-0	5.50		
0-4	7.50		
RHODODENDRON Hy	brids in var	ieties, Car	actacus,
Crimson; Catav	vbiense alba	a, White;	Dr. H.
C. Dresselhuys,	Crimson;]	Prof. Bette	ex, Red;
Roseum elegans 15-18"			= 00
	5.50	5.25	5.00
$\frac{1\frac{1}{2}-2'}{2}$	7.00	6.50	6.00
$2-2\frac{1}{2}$	9.00	8.50	8.00
RHODODENDRON hy			
Boursault (Rose			
15-18"	5.25	4.75	4.50

BULK'S NO	JRSERIES	5	13
RHODODENDRON hybrid	Each boursault	Each per 10 (continue	Each per 100 ed)
$1\frac{1}{2}$ -2'	6.25	5.75	5.25
$ar{2}$ - $2rac{1}{2}$ '	8.25	7.75	7.25
2 - $2\frac{1}{2}$ '	11.00		
RHUS cotinus (Smoke Tro	ee)		
2-3'	1.25	1.00	
3-4'	1.75	1.50	
R O S	EC		
2-Year —			
HYBRID TEA	10 001100		
Crimson Glory — red			
MacGredy's Scarlet —	red		
Konigin Carola — pink Mrs. W. C. Miller — pi	nlz		
Sister Therese — yello			
Condessa de Sastago —			
Kaiserin Auguste Viktor		te	
FLORIBUNDA			
Improved Lafayette —			
Floradora — orange - so Ann Poulsen — red	cariet		
CLIMBING ROSES			
Blaze — red			
Paul's Scarlet Climber -	— red		
New Dawn — pink			
White Dawn — white			
SALIX babylonica (Weep		w)	
6-8'	2.00	1.75	1.50
8-10' $1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal. 10-12' $1\frac{3}{4}$ -2" "	4.25	4.00	3.75
$10-12'$ $1\frac{3}{4}-2''$ "	5.25	5.00	4.75
$2-2\frac{1}{2}''$ Cal.		7.00	
SALIX babylonica (contin			
$2\frac{1}{2}$ -3" " " 3 -4" "	9.50		
3-4" " 4-5" "	13.00		
	16.00	:111 a mm	
S. purpurea nana (Dwarf 2-3'	.60	.50	
		.00	
SOPHORA japonica (Pago 4-5'	4.50		
5-6'	6.50		
6-7'	9.00		
SPIREA Anthony Water			
$1\frac{1}{2}$ -2'	.75	.65	
2-3'	.85	.75	
3-4'	1.25	1.00	
S. van Houttei (Bridal V	Vreath)		
2-3'	.85	.70	.60
3-4'	1.00	.85	.75
SYMPHORICARPOS race	mosus (Sr	ow Berr	v)
2-3'	.70	.60	, ,
3-4'	.85	.70	.65
4-5'	1.00	.85	
• •			

14 1	BULK S NURSER	IES	
	Each	Each per 10	Each per 100
SYMPHORICAR	RPOS vulgaris (Co		-
2-3'	.75	.65	,
3-4'	.85	.70	.65
4-5'	1.00		
SYRINGA japoi	nica		
4-5'	1.75		
5-6'	2.50		
7-8'	4.50		
SYRINGA vulg	garis (Common I	ilac)	
2-3' Heav		1.75	
3-4'	2.50	2.25	
S. (French Hy	brid Lilac) (in v		B&B
2-3'	3.00	2.75	2.50
3-4'	$\frac{3.00}{3.75}$	$\frac{2.75}{3.50}$	3.25
5-6'	6.50	0.00	0.20
~~~~			
			}
	THE YEW	1	}
F#17	· · · · · · · · · · · · · · · · · · ·		<b>\$</b>
The quality of	of Bulk's Taxus is	widely kr	nown.
Our price	s represent excel	lent value	es. {
•	•		<b>}</b>
	•••••••••••••••••••••••••••••••••••••••	······	·····,
TAXUS baccata			
(Spream) 15-18″	ng English Yew)	4.00	0.05
$13-16$ $1\frac{1}{2}-2'$	$4.25 \\ 5.50$	$\frac{4.00}{5.00}$	3.65
-			
	Spreading Jap. Ye		
15-18"	3.50	3.25	3.00
$1\frac{1}{2} - 2'$	4.50	4.25	
$\begin{array}{c}2\text{-}2\frac{1}{2}'\\2\frac{1}{2}\text{-}3'\end{array}$	5.75 8.00	5.25	
$3-3\frac{1}{2}$	12.00	$\begin{array}{c} 7.50 \\ 11.00 \end{array}$	
$3\frac{1}{2}$ - $4'$	15.00	11.00	
~		/ C	
	ulki (Bulk's Yew)		
very der	Faxus cuspidata, l k foliage, a choi	oo plant	xcellent
15-18"	3.75	.ce plant.) 3.50	
			3.25
	ta bulki (continue		
$1\frac{1}{2}-2'$	4.75	4.50	4.25
$2-2\frac{1}{2}$	6.00	5.50	5.25
TAXUS cuspidat	ta capitata (Uprigl	nt Jap. Ye	w)
$2-2\frac{1}{2}'$	5.50	5.00	
$2\frac{1}{2}$ -3'	6.25	6.00	
$3-3\frac{1}{2}'$	7.25	7.00	
$3\frac{1}{2}-4'$	9.00	8.25	
$4-4\frac{1}{2}'$	12.50	11.50	10.50
$4-4\frac{1}{2}'$ Heav	•	12.50	12.00
$\frac{4\frac{1}{2}-5'}{4\frac{1}{2}-5'}$ Heav	14.50	13.50	12.50
47 HO30	y = 17.00	16.00	15.00
12-0 11cav	J = 1.00		

BOLK.	3 IVOLUSEIUI	1210	10
	Each	Each per 10	Each per 100
TAXUS cuspidata cap		_	ber 100
			16.00
$5-5\frac{1}{2}'$ Reg.	18.00	17.00	16.00
$5-5\frac{1}{2}'$ Heavy	21.00	19.50	18.50
$5\frac{1}{2}$ -6' Reg.	21.00	19.50	
$5\frac{1}{2}$ -6' Heavy	26.00	24.00	
6-7' Reg.	28.50	26.50	
6-7' Heavy	32.50	30.00	
7-8' Reg.	35.00	32.00	
7-8′ Heavy	39.00	36.00	
8-9' "	45.00	41.00	
9-10' ''	54.00		
12-14′ "	100.00		
14-16' ''	130.00		
T. capitata columnaris		Vow)	
$3\frac{1}{2}$ -4'	9.00	8.25	
- M			
$4-4\frac{1}{2}'$	12.50	11.50	
$4\frac{1}{2}-5'$	14.50	13.50	
$5-5\frac{1}{2}'$	17.00	16.00	
$5\frac{1}{2}$ -6'	21.00	19.00	
6-7'	28.50	26.50	
7-8'	35.00		
8-9'	45.00		
9-10′	54.00		
T. cuspidata capitata		eaf	
(An upright va			amhlina
	_		_
those of T. na		ry slow g	rower.)
$4-4\frac{1}{2}'$	15.00		
$4\frac{1}{2}-5'$	19.00		
5-6'	23.00		
7-8′	38.00		
T. intermedia (Hybri	d Yew)		
(Spreading Ty)			
		9.75	2.50
15-18"	4.00	3.75	3.50
$1\frac{1}{2}$ -2'	4.75	4.50	4.25
$2$ - $2\frac{1}{2}$ '	6.25	5.75	
$2\frac{1}{2}$ -3'	8.25		
$3-3\frac{1}{2}'$	12.00		
$3\frac{1}{2}$ -4'	16.00		
$\tilde{4}$ -4 $\frac{1}{2}$ '	20.00		
T. media hatfieldi (H		)	
			2.25
15-18"	3.75	3.50	3.25
$\frac{1}{2}$ -2'	4.50	4.25	4.00
$2$ - $2\frac{1}{2}$ '	5.25	5.00	4.75
$2\frac{1}{2}$ -3' Reg.	6.25	5.75	
$2\frac{1}{2}$ -3' Heavy	7.50	7.00	
$3-3\frac{1}{2}'$ Reg.	8.75	8.25	
$3-3\frac{1}{2}'$ Heavy	12.00		
T. hicksi (Hick's Yew			
15-18"	3.25	3.00	2.75
$1\frac{1}{2}$ -2'	3.75	3.50	3.25
$2-2\frac{1}{2}$	4.50	4.25	4.00
$2\frac{1}{2}$ -3' Reg.	6.00		

TAXUS hicksi (continu	Each	Each per 10	Each per 100
$2\frac{1}{2}$ -3' Heavy	7.00	6.50	
$3-3\frac{1}{2}$ Reg.	7.50	7.00	
$3-3\frac{1}{2}$ Heavy	8.75	••••	
$3\frac{1}{2}$ -4' Reg.	10.00		
$3\frac{1}{2}$ -4' Heavy	12.50		
$4-4\frac{1}{2}$ Heavy	15.50		
$4\frac{1}{2}-5'$ "	19.00		
5-6' ''	25.00		
6-7'	30.00		
•	'ew)		
$2-2\frac{1}{2}'$	4.50	4.25	
$2\frac{1}{2}$ - $3^{7}$	6.00	5.50	5.00
$\bar{3}$ -3 $\frac{1}{2}$ '	7.25	6.75	0.00
$3\frac{1}{2}-4^{7}$	9.75		
T. nana brevifolia (Dw			
$1\frac{1}{2}$ -2'	5.50	5.00	
$ar{2}$ - $2rac{1}{2}'$	7.50	7.00	
$2\frac{1}{2}$ - $3^{'}$	10.00		
T. vermeulen (Vermeul	en's Yew)		
$2-2\frac{1}{2}'$	5.25	5.00	
$2\frac{1}{2}$ - $3^{7}$	6.25	5.75	5.25
$\overline{3}$ - $3\frac{1}{2}$ '	8.75	8.25	
······	^^^		

## TAXUS CAPITATA and COLUMNARIS For Hedges

These plants, while some are not quite finished enough for individual specimen planting, afford an excellent opportunity for medium cost hedge planting.

Grown From Selected Cuttings — B&B

	Each per 10	Each per 100
$2\frac{1}{2}$ -3'	4.75	4.50
3-4'	5.75	5.50

THUJA oc	cidentalis	(American	Arborvitae)	
$2\frac{1}{2}$ -3'		2.75	2.50	2.25
$\bar{3}$ -4'		3.50	3.25	3.00
4-5'		4.50	4.25	4.00
5-6'		5.50	5.25	2.00
THUJA occ	. compacta	& hoveyi		
(Par	son's Arbo	rvitae)		
$15\text{-}18^{\prime\prime}$		2.00	1.85	1.65
$1\frac{1}{2}$ - $2'$		2.50	2.25	2.00
$2$ - $2\frac{1}{2}$ '		3.25	3.00	2.75
$2rac{1}{2}$ - $3'$		4.00	3.75	3.50
T. occ. nigi	ra (Dark A	merican Ar	borvitae)	0.00
$2\frac{1}{2}$ -3'		3.00	2.75	2.50
3-4'		3.75	3.50	3.25
4-5'		4.75	4.50	4.25
T. occ. elegantissima (Giant Arborvitae)				
$2\frac{1}{2}$ -3'		3.25	3.00	2.75

		Each	Each
	Each	per 10	per 100
THUJA occ. elegantissma	(contin		•
3-4'	4.00	3.75	3.50
4-5'	5.00	4.50	4.25
			7.20
T. occ. pyramidalis (Pyr			
$2$ - $2\frac{1}{2}'$	2.50	2.25	2.00
$2\frac{1}{2}$ -3'	2.75	2.50	2.25
$\bar{3}$ -4'	3.50	3.25	3.00
4-5'	4.50	4.25	4.00
5-6'		5.00	1.00
T. occ. rosenthali (Rosent			
$1\frac{1}{2}$ -2'	2.75	2.50	
$2$ - $2\frac{1}{2}$ '	3.25		
$2\frac{1}{2}$ - $3'$	4.25		
$\tilde{3}$ -4'	5.00		
T. standishi (Standish A			
8-10′	16.50		
10-12′	19.00		
T. occ. wareana (Siberia	n Arb.)		
1½-2'	2.00	1.75	1.50
$\overset{1}{2} \overset{2}{2} \overset{1}{2}'$	2.50	2.25	2.00
$2\frac{1}{2}$	3.00	2.75	2.00
4.5'	6.00	2.10	
5-6'	7.50		
T. orientalis nana aurea	(Golder	n Biota)	
15-18"	2.50	2.25	2.00
18-24"	3.00	2.75	2.50
$2$ - $2\frac{1}{2}$ '	3.75	3.50	3.25
$2\frac{1}{2} \cdot 3'$	4.50	4.00	3.85
			0.00
TSUGA canadensis (Can	adian H	(emlock)	
$1\frac{1}{2}$ -2'	3.25	3.00	2.75
$ar{2}$ - $2rac{1}{2}'$	3.75	3.50	3.25
$2\frac{1}{2}-3'$	4.75	4.50	4.25
$3-3\frac{1}{2}$	6.50	6.00	5.50
	7.50	7.00	6.50
$3\frac{1}{2}-4'$			0.00
$3\frac{1}{2}$ -4' Heavy	9.00	8.50	0.50
4-5′	10.00	9.00	8.50
4-5′ Heavy	13.00	12.00	
5-6' ''	17.00	16.00	
6-7'	20.00		
III MIIS amariaana (Am	orioan H	Im)	
ULMUS americana (Ame			
∠ <del>2</del> -3	13.00	12.00	
$\overline{3}$ -3 $\frac{1}{2}$ " "	17.50	16.50	
$3\frac{1}{2}-4''$ "	22.00	20.00	
4-5" "	25.00		
U. pumila (Siberian Elm			
2-2 $\frac{1}{2}$ " Cal.	11.00	10.00	
$2-2\frac{1}{2}$ Cal.			
<b>2</b> 衰・ <b>3</b> ~	14.00	13.00	
$3-3\frac{1}{2}$ "	18.50	17.50	
$3\frac{1}{2}$ -4"	24.00		
VIBURNUM burkwoodi			
	2 05	2.50	
$2$ - $2\frac{1}{2}$ '	3.85	3.50	

	Each	Each per 10	Each
VIBURNUM carlesi	(Fragrant Vi	per 10 burnum)	per 100
V. juddi (Fragrant V		,	
(Good Strong		B&B	
9	Above Two		
$2-2\frac{1}{2}$	3.25		
$2\frac{1}{2}-3'$	3.75		
V. lentago (Nannybe			
5-6'	2.00	1.75	
7-8'	3.00	1.10	
V. dentatum (Arrow			
V. opulus (European		Rugh)	
	bove Two V		
4-5'	1.50		
5-6'		1.25	
6-7'	1.75	1.50	
V. op. sterilis (Comn	2.50	1\	
3-4'			
4-5'	1.50	1.25	
	1.75	1.50	
5-6'	2.50		
V. Ihytidophyllum (Le	eather Leaf <b>V</b>	Viburnum)	)
$1\frac{1}{2}-2'$	3.00	2.75	
$2-2\frac{1}{2}$	4.00	3.75	
$2\frac{1}{2}$ -3'	5.00	4.50	
V. theiferum (Tea Vi	iburnum)		
3-4'	1.75	1.50	
4-5'	2.25	2.00	
V. tomentosum (Dou	ble File Vibu	ırnum)	
2-3'	1.00	.90	
3-4'	1.25	1.00	.90
4-5'	1.50	1.25	1.00
5-6'	2.00	1.75	1.50
WITGELA rosea (Pi			1.00
3-4' Heavy			
4-5' "	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$		
_	_		
WEIGELIA nana vari		ated Folia	age)
2-3' 3-4'	.90		
0-4	1.10		
······	~~~~~	·····	·····
			<b>}</b>

## **VINES and CLIMBERS**

WISTERIA sinensis, sinensis alba (Chinese Wisteria)

8 Year Grafts B&B \$8.50 each

- SINENSIS and ORIENTAL HYBRIDS
- S. floribunda Naga Noda
- S. floribunda Kyushku

Heavy Mature Grafts, extra heavy, staked

**B&B** 6-9' — \$19.00 - \$25.00

## LINING OUT TAXUS CAPITATA


(Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled. (Excellent Root System.)

ROW RUN	Each per 100	Each per 1000
$2\frac{1}{2}$ -3' B.R.	3.75	
3-4' "	4.75	
3-4′ B&B	5.50	

# LINING OUT STOCK Large Quality Liners

Large Quality Liners		
CHAMAECYPARIS plumosa		
(Green Plume Cypress)		
12-15"	.35	
C. plumosa aurea (Golden Plun		ess)
C plumosa squarrosa (Moss C		
10-12"	.35	
TAXUS cups. capitata (Upright	Jap Ye	w
3-4 Yr.		
12-18"	.65	.60
18-24"	.80	.75
T. media hatfieldi — 3-4 Yrs.		
10-12"	.65	.60
T. media hicksi — 3-4 Yr.		
10-12"	.60	.55
THUJA occ. compacta (Globe Arborvitae)		
8-12"	.35	
ILEX crenata (Spreading Type	Jap Ho	llv)
8-10"	.45	
I. opaca (female) (American H		
18-24"	.85	
AZALEA amoena (purple-red)		
2-3 Yrs. — Heavy		
8-10"	.50	
A. kaempferi fedora (pink)		
2-3 Yrs. — Heavy		
12-15"	.55	
A. hinodegiri (Red)		
2-3 Yrs. — Heavy		
8-10"	.65	
A. Orange Beauty (Orange)		
2-3 Yrs. — Heavy		
10-12"	.65	



# BULK'S NURSERIES

BABYLON, NEW YORK

Telephone MOhawk 9-4400